

Change 1

FM 23-90
C1
Headquarters
Department of the Army
Washington, DC, 9 December 2002

Mortars

This change updates misfire procedures for ground- and carrier-mounted 120-mm mortars (paragraphs 7-13 and 7-22, pages 7-11 and 7-23, respectively). The title of Section III, Chapter 7 changes to reflect its focus on only ground-mounted mortars (Section V focuses on carrier-mounted mortars). The Table of Contents changes only to show a changed Chapter 7. The changed Preface updates contact information.

1. Change FM 23-90, 1 March 2000, as follows:

Remove old pages:

Contents and Preface (pages i thru ix).....
Chapter 7 (pages 7-1 through 7-39).....

Insert new pages:


Contents and Preface (pages i thru ix)
Chapter 7 (pages 7-1 through 7-38)

2. A star (*) marks new or changed material.
3. File this transmittal sheet in front of the publication.

DISTRIBUTION RESTRICTION:

Approved for public release; distribution is unlimited.

By Order of the Secretary of the Army:
Official:



JOEL B. HUDSON
*Administrative Assistant to the
Secretary of the Army*
0229006

ERIC K. SHINSEKI
*General, United States Army
Chief of Staff*

DISTRIBUTION:

Active Army, Army National Guard, and US Army Reserve: To be distributed in accordance with the initial distribution number 110209, requirements for FM 23-90.